

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2001-120267

(43)Date of publication of application : 08.05.2001

(51)Int.Cl.

C12N 11/10

C12N 5/06

(21)Application number : 11-309684

(71)Applicant : NATL INST OF ADVANCED
INDUSTRIAL SCIENCE &
TECHNOLOGY METI

(22)Date of filing : 29.10.1999

(72)Inventor : HARA MASAYUKI
MIYAKE ATSUSHI
YAMAKI AYAKO(54) CELL CULTURE CARRIER AND METHOD FOR CULTURING CELL USING THE SAME
CARRIER

(57)Abstract:

PROBLEM TO BE SOLVED: To obtain a cell culture carrier, to provide a method for culturing a cell utilizing the cell culture carrier, to obtain a cell cultured product by the method for culturing, to provide a method for laminating cell layers utilizing the cell cultured product and to obtain laminated cell layers by the method for laminating the cell layers.

SOLUTION: The cell culture carrier is characterized as comprising a porous membrane and an alginic acid gel layer laminated onto the porous membrane. Thereby, the lamination of the cell layers can readily be carried out.

LEGAL STATUS

[Date of request for examination] 29.10.1999

[Date of sending the examiner's decision of
rejection][Kind of final disposal of application other than
the examiner's decision of rejection or
application converted registration]

[Date of final disposal for application]

[Patent number] 3261456

[Date of registration] 21.12.2001

[Number of appeal against examiner's decision
of rejection][Date of requesting appeal against examiner's
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

JAPANESE [JP,2001-120267,A]

CLAIMS DETAILED DESCRIPTION TECHNICAL FIELD PRIOR ART EFFECT OF THE
INVENTION TECHNICAL PROBLEM MEANS EXAMPLE DESCRIPTION OF DRAWINGS
DRAWINGS

[Translation done.]

* NOTICES *

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1] Cell culture support characterized by including the alginic-acid gel layer stratified on the porous membrane and this porous membrane.

[Claim 2] Cell culture support according to claim 1 characterized by the aforementioned alginic-acid gel being calcium-alginate gel.

[Claim 3] Cell culture support according to claim 1 or 2 characterized by including further the matrix component gel layer outside a cell stratified on the aforementioned alginic-acid gel layer, or the matrix component sponge layer outside a cell.

[Claim 4] Cell culture support according to claim 1 to 3 characterized by the aforementioned matrix component outside a cell being a collagen.

[Claim 5] The cultivation method of a cell characterized by cultivating a cell using cell culture support according to claim 1 to 4.

[Claim 6] The cell culture object which is a cell culture object obtained by the cultivation method according to claim 5, and contains the stratum compactum held at cell culture support according to claim 1 to 4 and this cell culture support.

[Claim 7] The cell culture object obtained by carrying out solubilization processing of the alginic-acid gel layer of a cell culture object according to claim 6.

[Claim 8] The stratification method of the stratum compactum characterized by using a cell culture object according to claim 7.

[Claim 9] Stratified stratum compactum obtained by the stratification method according to claim 8.

[Translation done.]